


Cell Type PGX 2000 Sub C HR

Specifications




Type: Sealed Nickel-Zinc Battery		Size: Sub C
Typical		2000 mAh
Minimum		1800 mAh
Nominal Voltage		1.65V
nt x Time	Fast Charge ₂₎	C/2 to C rate in Amps to 1.9V/cel taper charge and cut-off
Charge Condition	Fast Charge ₂₎	0°C - 40°C
Discharge C	ondition	0°C - 50°C
	Less than 30 days	-20°C - 50°C
Storage Condition	Less than 90 days	-20°C - 40°C
	Less than 1 year	-20°C - 30°C
Internal Impedance 3) (after discharge to E.V.=1.0)		$<$ 4.5m Ω (at 1000 Hz)
Weight ₄₎		About 48.0g
Size ₄₎ :(Diameter) x (Height)		22.4(D) x 45.0(H) mm
	Typical Minimum e nt x Time Charge Condition Discharge C Storage Condition	Typical Minimum e Int x Time Fast Charge 2) Charge Condition Discharge Condition Less than 30 days Storage Condition Less than 90 days Less than 1 year Ince 3) E.V.=1.0)

¹⁾ Single cell capacity under the following condition: Per charging description

Typical Characteristics

Charge



Charge Procedure

Two Step Charge

-Constant Current: From C/2 to C rate in Amps to 1.9V/Cell

-Constant Voltage: 1.9V/Cell to Current < 90mA

Fault Conditions (Cut-off)

- -Total charge time exceeds 2.5 hrs
- -Temperature of the cell rises by more than 15C
- -Voltage is less than 1.6V

Charge Procedure


Two Step Charge

- -Temp. Compensated Voltage (TCV)=1.90-(0.003x(T-25°C) V/Cell
- -Constant Current C Rate to TCV
- -Constant Voltage TCV to I < 90mA

Fault Conditions

Stop Charge if the any of the following conditions occur:

- -Total charge time exceeds 2.5 hrs
- -Temp. of the cell rises by more than 15°C
- -Temp. of the cell exceeds 40°C
- -Voltage is less than 1.6V



www.powergenix.com April 2009

²⁾ Use Recommended Charging System

³⁾ After a few charge and discharge cycles under the 1)

condition 4) With tube.